

RECEIVED
CENTRAL FAX CENTER

001

DEC 01 2004

FAX TRANSMISSION



DATE: December 1, 2004
CLIENT NO.: R2184.0097-B
MESSAGE TO: Primary Examiner Gautam R. Patel
COMPANY: U.S. Patent and Trademark Office; Art Unit 2655
FAX NUMBER: 703-872-9314
PHONE: 571-308-7940
FROM: Mark J. Thronson
PHONE: (202) 775-4742

PAGES (Including Cover Sheet):

7

HARD COPY TO FOLLOW:

☐

YES

☒

NO

Please file the attached Amendment in U.S. Patent Application No. 10/620,351. Applicant's undersigned representative certifies that the attached Amendment is being filed with the U.S. Patent and Trademark Office by facsimile transmission on December 1, 2004.

Mark J. Thronson, Reg. No. 33,082

If your receipt of this transmission is in error, please notify this firm immediately by collect call to our Facsimile Department at 202-861-9106, and send the original transmission to us by return mail at the address below.

This transmission is intended for the sole use of the individual and entity to whom it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. You are hereby notified that any dissemination, distribution or duplication of this transmission by someone other than the intended addressee or its designated agent is strictly prohibited.

BEST AVAILABLE COPY

2101 L Street NW Washington, DC 20037-1526 Tel 202-785-9700 Fax 202-887-0689

1153262 v1: PV2011.DOC
1153262 v1: PV2011.DOC
DSMDB.1153262.1

DEC 01 2004

Docket No.: R2184.0097/P097-B
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Masaki Katoh et al.

Application No.: 10/620,351

Confirmation No.: 8926

Filed: July 17, 2003

Art Unit: 2655

For: OPTICAL INFORMATION RECORDING
MEDIUM, WITH AT LEAST ONE
INCONSECUTIVE PART, AND
RECORDING APPARATUS

Examiner: G. Patel

AMENDMENT IN RESPONSE TO NON-FINAL OFFICE ACTION

U.S. Patent and Trademark Office
220 20th Street S.
Customer Window, Mail Stop Amendment
Crystal Plaza Two, Lobby, Rm. 1B03
Arlington, VA 22202
Dear Sir:

INTRODUCTORY COMMENTS

In response to the Office Action dated September 1, 2004 (Paper No. 20040829), please amend the above-identified U.S. patent application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 7 of this paper.

DSMDB.1846733.1

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKewed/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.